GARDNER DENVER®

3-523 4th Edition June, 1997

DUPLEX POWER PUMP 6" STROKE

MODEL

FXG__B

PARTS LIST



MAINTAIN PUMP RELIABILITY AND PERFORMANCE WITH GENUINE GARDNER DENVER, AJAX AND OPI PARTS AND SUPPORT SERVICES

Gardner Denver[®], AJAX[®], and OPI[®] genuine pump parts are manufactured to original tolerances and designed for optimum dependability. Design and material innovations are the result of years of experience with hundreds of different pump applications. Reliability in materials and quality assurance are incorporated in our genuine replacement parts.

Your authorized Gardner Denver, AJAX and OPI distributor offers all the backup you'll need. A world-wide network of authorized distributors provides the finest product support in the pump industry.

Your local authorized distributor maintains a large inventory of genuine parts and he is backed up for emergency parts by the Gardner Denver Machinery Inc. Master Distribution Center (MDC) in Memphis, Tennessee.

Your authorized distributor can support your Gardner Denver, AJAX and OPI pump needs with these services:

- 1. Trained parts specialists to assist you in selecting the correct replacement parts.
- A full line of factory tested pump lubricants specifically formulated for use in Gardner Denver, AJAX and OPI pumps.
- 3. Repair and maintenance kits designed with the necessary parts to simplify servicing your pump.

Authorized distributor service technicians are factory-trained and skilled in pump maintenance and repair. They are ready to respond and assist you by providing fast, expert maintenance and repair services.

For the location of your local authorized Gardner Denver, AJAX and OPI distributor refer to the yellow pages of your phone directory or contact:

Distribution Center:
Gardner Denver Machinery Inc.
Master Distribution Center
5585 East Shelby Drive
Memphis, TN 38141
Phone: (201) 542, 6100

Phone: (901) 542–6100 (800) 245–4946

Fax: (901) 542–6159

Factory:
Gardner Denver Machinery Inc.
1800 Gardner Expressway
Quincy, IL 62301

Phone: (217) 222–5400 Fax: (217) 224–7814

INSTRUCTIONS FOR ORDERING REPAIR PARTS

When ordering parts, specify Pump MODEL and SE-RIAL NUMBER (see nameplate on unit). The Serial Number is also stamped on top of the cylinder end of the frame (cradle area).

All orders for Parts should be placed with the nearest authorized distributor.

Where NOT specified, quantity of parts required per pump or unit is one (1); where more than one is required

per unit, quantity is indicated in parenthesis. SPECIFY EXACTLY THE NUMBER OF PARTS REQUIRED.

DO NOT ORDER BY SETS OR GROUPS.

To determine the Right Hand and Left Hand side of a pump, stand at the power end and look toward the fluid end. Right Hand and Left Hand are indicated in parenthesis following a part name, i.e. (RH) & (LH), when appropriate.

For Operating and Service Instructions see:

SERVICE MANUAL 3-600


TABLE OF CONTENTS

| | Page |
|--|------|
| Maintain Pump Reliability and Performance With Genuine Gardner Denver Parts and Support Services | 1 |
| Instructions For Ordering Repair Parts | 1 |
| Menu/Matrix | 3 |
| Frame Group | 4 |
| Jackshaft | 5 |
| Oil Stop Head | 6 |
| Eccentric & Shaft | 7 |
| Eccentric Shaft Bearing | 7 |
| Connecting Rod & Crosshead | 8 |
| Fluid Cylinder | 9 |
| Stuffing Box | . 10 |
| Stuffing Box Gland (Optional Equipment) | . 10 |
| Steel Insert Type Piston – Standard For Slush, Grout & Cement Service | . 11 |
| Solid Iron Type Piston With Cast Iron Rings – Standard For Oil Service | . 11 |
| Cylinder Liners | . 12 |
| Cup-type Pistons - Iron & Steel For Oil and General Service, Bronze For Water Service | . 12 |
| Follower Type Fluid Piston For Water and General Service | . 13 |
| Piston Rods & Nuts | . 13 |
| Wing Guided Valve With Insert (Slush, Grout, Cement & Water Service) | . 14 |
| Wing Guided Valve Without Insert (Oil or General Service) | . 15 |
| Wing Guided Valve Without Insert (Oil, Water or General Service) | . 16 |
| Wing Guided Gravel Valve With Rubber Insert (Slush, Grout & Cement Service) | . 17 |
| Center Guided Valve Without Insert (Oil or General Service) | . 18 |
| Center Guided Valve With Rubber Insert (Slush Service) | . 19 |
| Durabla Valve, Stainless Steel, General Service (Optional) | . 20 |
| Delrin Ball Valve, General Service (Optional) | . 21 |
| Ball Guided Spherical Valve - Oil, Water or General Service (Optional) | . 22 |
| Valve Seat Puller – Gravel Type (Optional Equipment) | . 22 |
| Valve Seat Puller – Wing Guided & Delrin Ball (Optional Equipment) | . 23 |
| Valve Seat Puller – Center Guided (Optional Equipment) | . 23 |
| Surge Chamber – Discharge (Optional Equipment) | . 24 |
| Surge Chamber – Suction (Optional Equipment) | . 24 |
| Rod Wash (Optional Equipment) | . 25 |
| Liner Puller (Optional Equipment) | . 25 |
| Crosshead Pin Bushing Puller (Optional Equipment) | . 26 |
| Relief Valves (Optional Equipment) | . 26 |

DUPLEX POWER PUMP – 6" STROKE – MODEL FXG__B MENU/MATRIX

Χ G В NOTICE TO CUSTOMER - To find the construction options for your pump unit, FILL IN THE BALANCE OF LETTERS OR NUMBERS FROM YOUR UNIT NAMEPLATE. COLUMN NUMBER: 6 9 10 11 Follow the line down and over from each space thus filled in to find the appropriate construction option with which your machine is equipped. The number "9" in any column space indicates "NOT APPLICABLE." The number "8" in any column space indicates special design refer to factory order ticket. COLUMNS 1, 2 & 3 - BASIC FAMILY -COLUMN 4 - TYPE SERVICE - MASTER CYLINDER SIZE - CONSTRUCTION -Slush Service - 5" Master - 1 Piece Cast Iron Grout & Cement Service - 5" Master - 1 Piece Cast Iron R C. Oil Service - 5" Master - 1 Piece Cast Iron D. Water Service - 5" Master - 1 Piece Cast Iron General Service - 5" Master - 1 Piece Cast Iron COLUMN 5 - SIZE SELECTIVE -D. 3-1/2" 5" Α. B. 4-1/2" E. 3" 4" F C. 2-1/2'COLUMN 6 - DESIGN VERSION B. Second COLUMN 7 - LINER MATERIAL SELECTIVE : Bronze - Standard for Water Service Α. B. Hardened Steel - Standard for Slush, Grout & Cement, Oil and General Service C. Chrome Plated - Optional D. Stainless Steel - Optional COLUMN 8 - PISTON TYPE SELECTIVE Bronze – Follower Type with Regular Cure Packing (Standard for Water Service) В. Bronze – Follower Type with Rock Hard Packing (Optional for Water Service) Iron – Follower Type with Regular Cure Packing (Standard for General Service) D Iron – Follower Type with Rock Hard Packing (Optional for General Service) E. Iron - Solid Type with Cast Iron Rings (Standard for Oil Service) Steel - Insert Type (Standard for Grout & Cement and Slush Service) F. G. Bronze- Cup Type (Optional) Iron - Cup Type (Optional) J. Steel - Cup Type (Optional) COLUMN 9 - PISTON ROD MATERIAL & PACKING SELECTIVE Bronze Rod & Molded Rubber & Duck Packing (Standard for Water Service) D. Hardened Steel Rod & Molded Rubber & Duck Packing (Standard for Oil, General Slush, Grout & Cement Service) Chrome Plated Rod & Molded Rubber & Duck Packing (Optional for Oil, General Slush, Grout & Cement Service) G. K. Stainless Steel Rod & Molded Rubber & Duck Packing (Optional for Water Service) COLUMN 10 - FLUID VALVE SELECTIVE Bronze – Wing Guided Type without Insert (Water Service) B. Bronze - Wing Guided Type with Rubber Insert (Water Service) Iron - Wing Guided Type without Insert (Oil, General or Water Service) C. Steel – Wing Guided Type without Insert (Oil or General Service) D. Steel – Wing Guided Type with Rubber Insert (Slush or Grout & Cement Service) E. F. Steel (Gravel Type) - Wing Guided with Insert (Slush or Grout & Cement Service) Steel - Center Guided without Insert (Oil or General Service) G. Η. Steel - Center Guided Type with Rubber Insert (Slush Service) Steel Seat & Delrin Ball (Optional) J. K. Stainless Steel Seat & Delrin Ball (Optional) Stainless Steel - Durabla (Optional) Bronze - Ball Guided Spherical (Optional) M. N. Steel - Ball Guided Spherical (Optional) Stainless Steel - Ball Guided Spherical (Optional)


COLUMN 11 - OPTIONAL EQUIPMENT SELECTIVE -



FRAME GROUP

| Ref. No. | Name of Part | Qty. | All FXG Models Part No. |
|-------------|--|------|-------------------------------|
| | FRAME ASSEMBLY, Includes Ref. No. 1, 2, 3, 5, 6, 10, 11, 12 & 13 | 1 | 1FXG172A |
| 1 | FRAME | | |
| 2 | STUD, Oil Stop Head | 4 | 79A238 |
| 3 | NUT, Oil Stop Head | 4 | 50B5 |
| 4 | PLATE-INSPECTION | 1 | 3AXG237 |
| 5 | STUD, Inspection Plate | 1 | 79A338 |
| 6 | NUT, Inspection Plate Stud | 1 | 50B3 |
| 7 | HOOD | 1 | 200FXG053 |
| 8 | GASKET, Hood | 1 | 2009457 |
| 9 | SCREW, Hood | 8 | 655EE040 |
| 10 | PLUG, Oil Level | 1 | 64AA4 |
| 11 | ELBOW-PIPE STREET, Oil Level | 1 | 64D4 |
| 12 | PLUG, Oil Drain | 1 | 64A5 |
| 13 | PLUG, Frame Drain | 1 | 64A9 |
| 72 | BAFFLE, Piston Rod | 2 | 1FXG840 |
| 73 | NUT, CROSSHEAD | 2 | 50T67 |
| * | COVER-FRAME CRADLE (SOLID) | 1 | 200FXG225 |
| * | STUD-FRAME CRADLE COVER | 2 | 79A466 |
| * | NUT-FRAME CRADLE COVER STUD WING | 2 | 50H1 |


^{*} Not Shown.



JACKSHAFT


| Ref. | | | All FXG Models |
|------|---|------|-------------------|
| No. | Name of Part | Qty. | Part No. |
| | JACKSHAFT ASSEMBLY, Includes Ref. No. 20, 21 & 22 | 1 | FXG374 |
| 20 | JACKSHAFT | 1 | FXG371 |
| 21 | KEY, Jackshaft to Gear | 1 | 35C48 |
| 22 | GEAR-DRIVEN | 1 | FXG181 |
| 23 | SLEEVE-SHAFT | 2 | FXG289 |
| 24 | SEAL-OIL, Bearing Housing | 2 | 60G39 |
| 25 | HOUSING-BEARING | 2 | FXG368 |
| 26 | BEARING, Jackshaft | 2 | 12W2 |
| 27 | PLATE-BEARING RETAINING | 2 | FXG370 |
| 28 | SEAL-OIL, Bearing Retaining Plate | 2 | 60G40 |
| 29 | SCREW, Housing & Retaining Plate | 12 | 655EE060 |
| 30 | GASKET, Housing & Retaining Plate | 4 | 25C657 |
| 70 | KEY-Jackshaft | 1 | 35B166 |
| 74 | COVER-SHAFT EXTENSION | 1 | 201FXG490 |
| 75 | SCREW, Shaft Extension Cover | 3 | 75A68 |
| * | FITTING-LUBRICATION | 2 | 40E5 |

^{*} Not Shown.



OIL STOP HEAD


| Ref. No. | Name of Part | Qty. | All FXG Models Part No. |
|-------------|---|------|-------------------------------|
| | OIL STOP HEAD ASSEMBLY, Includes Ref. No. 35, 36 & 37 | 2 | 2FXG495 |
| 35 | OIL STOP HEAD | | |
| 36 | STUD, Oil Stop Head | 4 | 79A238 |
| 37 | NUT, Oil Stop Head Stud | 4 | 50B5 |
| 38 | GLAND, Oil Stop Head | 2 | AXG238 |
| 39 | WASHER, Oil Stop Head | 2 | AG318 |
| 40 | GASKET, Oil Stop Head | 2 | 25C656 |
| 71 | PACKING, Oil Stop Head | 2 | 60BG24 |



310FXG799 (Ref. Drawing)

ECCENTRIC & SHAFT

| Ref. No. | Name of Part | Qty. | Models Part No. |
|-------------|-----------------|------|-----------------|
| 45 | SHAFT-ECCENTRIC | 1 | 1FXG367 |
| 46 | KEY | 1 | 35C70 |
| 47 | ECCENTRIC | 1 | 1FXG255 |




ECCENTRIC SHAFT BEARING

| Ref. No. | Name of Part | Qty. | All FXG Models Part No. |
|-------------|-------------------------------|------|-------------------------------|
| 50 | SLEEVE-SHAFT | 2 | 16AUX18 |
| 51 | SEAL-OIL | 2 | 60G221 |
| 52 | BEARING, Eccentric Shaft | 2 | 12C30 |
| 53 | SHIM, Bearing Cover Plate* | 3 | 77G16 |
| 54 | SCREW, Bearing Cover Plate | 12 | 75AA1 |
| 55 | PLATE-BEARING COVER | 2 | FXG366 |
| 56 | GASKET, Bearing Cover Plate** | 1 | 25C657 |
| 57 | FITTING-LUBE | 2 | 40E5 |
| | * Used opposite 25C657 Gasket | | |


Used opposite 25C657 Gasket.

^{* *} Used opposite 77G16 Shims.




CONNECTING ROD & CROSSHEAD

| Ref. No. | Name of Part | Qty. | All FXG Models Part No. |
|-------------|--|------|-------------------------------|
| 60 | CONNECTING ROD, Includes next two items | 2 | 1FXG417 |
| | BUSHING, Eccentric | 2 | 3FXG421 |
| | BUSHING, Crosshead Pin | 2 | AXG229 |
| | CROSSHEAD ASSEMBLY, Includes Ref. No. 61 thru 65 | 2 | FXG175X |
| 61 | CROSSHEAD | | |
| 62 | SET SCREW-SOCKET HEAD | 4 | 76J6 |
| 63 | SET SCREW- SQUARE HEAD | 2 | 76U32 |
| 64 | PIN, Set Screw | 4 | 62A152 |
| 65 | NUT, Set Screw | 2 | 50F3 |
| 66 | PIN-CROSSHEAD | 2 | FXG189 |
| | | | |



FLUID CYLINDER


| Ref. No. | Name of Part | Qty. | ALL FXG Models Part No. |
|-------------|--|------|-------------------------------|
| | FLUID CYLINDER ASSEMBLY, Includes Ref. No. 1, 4, 5, 6, 7 & 8 | 1 | 8FG29B |
| 1 | FLUID CYLINDER | | |
| 2 | STUD, Valve Cover | 16 | 79L40C |
| 3 | PLUG, Drain | 5 | 64AU5 |
| 4 | NUT , Valve Cover Stud | 16 | 50B10C |
| 5 | SCREW,Suction & Blank Flange | 16 | 655EF07Z |
| 6 | SCREW, Cylinder Head | 10 | 655EG09Z |
| 7 | SCREW, Discharge Flange | 8 | 655EF08Z |
| 8 | SCREW, Flange to Cylinder | 6 | 655EG11Z |
| 9 | GASKET, Suction & Blank Flange | 2 | 25C603N |
| 10 | FLANGE, Suction | 1 | FG92 |
| 11 | GASKET, Valve Cover | 8 | 25BE18 |
| 12 | COVER-VALVE | 8 | 3FG147 |
| 13 | FLANGE, Discharge | 1 | 64CE4 |
| 14 | GASKET, Discharge Flange | 1 | 25C502 |
| 15 | HEAD-CYLINDER | 1 | 1FG41 |
| 16 | GASKET, Cylinder Head | 2 | 25BE24 |
| 17 | FLANGE, Suction | 1 | 64DC8 |
| 18 | GASKET, Liner | 4 | 25T27 |
| 19 | SPACER-LANTERN, Liner | 2 | 1FG445 |
| 20 | CLAMP-LINER | 2 | 2FG217 |
| 21 | SET SCREW, Liner Clamp | 6 | 76N14 |
| 22 | PACKING, Liner Clamp Set Screw | 6 | 60BQ1 |
| 23 | WASHER, Liner Clamp Set Screw | 6 | 95F7 |
| 24 | NUT, Liner Clamp Set Screw | 6 | 50B7C |
| | LINER | 2 | See Page 12 |



313FXG799 (Ref. Drawing)

STUFFING BOX

| Ref. No. | Name of Part | Qty. | All FXG Models Part No. |
|-------------|---|------|-------------------------------|
| | STUFFING BOX ASSEMBLY, Includes Ref. No. 26 thru 28 | 2 | 1FG1538 |
| 25 | GASKET, Stuffing Box | 2 | 25C658 |
| 26 | STUFFING BOX | | |
| 27 | STUD, Stuffing Box | 4 | 79L125C |
| 28 | NUT, Stuffing Box Stud | 4 | 50B7C |
| 29 | RING-JUNK | 2 | FG317 |
| 30 | GLAND | 2 | FG21 |
| 31 | PACKING, Molded Rubber & Duck | 2 | 60DA310 |




314FXG799 (Ref. Drawing)

STUFFING BOX GLAND (Optional Equipment)

| Ref. No. | Name of Part | Qty. | Models Part No. |
|-------------|--|------|-----------------|
| 1 | GLAND ASSEMBLY, Includes Ref. No. 2 thru 5 | 2 | 200FXG008A |
| 2 | GLAND | 2 | 200FXG008 |
| 3 | NUT | 2 | 200FXG086 |
| 4 | FITTING-LUBE | 2 | 40E10 |
| 5 | PACKING-RING | 2 | 60DD74 |
| * | NUT | 4 | 50AQ7C |


^{*} Not shown.



322FXG799 (Ref. Drawing)

STEEL INSERT TYPE PISTON – STANDARD FOR SLUSH, GROUT & CEMENT SERVICE (API NO. 1 TAPER)

| Ref. No. | | Qty. | 5" Part No. | Model FXGE_B 4–1/2" Part No. | 4" Part No. |
|-------------|--|------|--|------------------------------------|--------------------|
| 1 | PISTON ASSEMBLY, Incl. next item . INSERT GROUP, Includes Retainer | 2 | 219TBA045A | 217TBA045A | 215TBA045A |
| | Plates & Rings | 2 | TBA76002 | TBA76000 | TBA75998 |
| Ref. No. | | Qty. | Model FXGE_B 3-1/2" 3" Part No. Part No. | | 2–1/2" Part No. |
| | | Qty. | i ait ito. | rait No. | rait NO. |
| 1 | PISTON ASSEMBLY, Incl. next item . INSERT GROUP, Includes Retainer | 2 | 213TBA045A | 211TBA045A | 45R31 |



323FXG799 (Ref. Drawing)


SOLID IRON TYPE PISTON WITH CAST IRON RINGS – STANDARD FOR OIL SERVICE (API NO. 1 TAPER)

| Ref. No. | Size | Name of Part | Qty. | Model FXGC_B Part No. |
|-------------|--------|--------------|------|-----------------------------|
| 1 | 5" | PISTON | 2 | 200FXG350 |
| 2 | 5" | RING-PISTON | 8 | 65A159 |
| 1 | 4-1/2" | PISTON | 2 | 201FXG350 |
| 2 | 4-1/2" | RING-PISTON | 8 | 65A1 |
| 1 | 4" | PISTON | 2 | 202FXG350 |
| 2 | 4" | RING-PISTON | 8 | 65A33 |
| 1 | 3-1/2" | PISTON | 2 | 203FXG350 |
| 2 | 3-1/2" | RING-PISTON | 8 | 65A9 |
| 1 | 3" | PISTON | 2 | 204FXG350 |
| 2 | 3" | RING-PISTON | 8 | 65A14 |
| 1 | 2-1/2" | PISTON | 2 | 205FXG350 |
| 2 | 2-1/2" | RING-PISTON | 8 | 65A44 |

CYLINDER LINERS TWO (2) REQUIRED PER PUMP

All FXG Models


| Size | Bronze Part No. | Hardened Steel Part No. | Chrome Plated Part No. | Stainless Steel Part No. |
|--------|--------------------|-------------------------------|------------------------------|--------------------------------|
| 5" | 45FG64 | FG45650 | 6FG45650 | 3FG45650 |
| 4–1/2" | 44FG64 | 1FG45645 | 6FG45645 | 3FG45645 |
| 4" | 43FG64 | 1FG45640 | 6FG45640 | 3FG45640 |
| 3–1/2" | 42FG64 | 1FG45635 | 6FG45635 | 3FG45635 |
| 3" | 41FG64 | 1FG45630 | 6FG45630 | 3FG45630 |
| 2–1/2" | 200FGG456 | 1FG45625 | 6FG45625 | 3FG45625 |



325FXG799 (Ref. Drawing)

CUP-TYPE PISTONS – IRON & STEEL FOR OIL AND GENERAL SERVICE BRONZE FOR WATER SERVICE API NO. 1 TAPER (OPTIONAL)


| Def | | | | All FXG Models | 4" |
|-------------|---|-------------|--------------------|--------------------|--------------------|
| Ref. No. | Name of Part | Qty. | 5" Part No. | 4–1/2" Part No. | 4" Part No. |
| 1 | PISTON (Iron) Incl. following Cup | 2 | P1APIL500 | P1APIL450 | P1APIL400 |
| 1 | PISTON (Steel) Incl. following Cup | 2 | P1APIL500S | P1APIL450S | P1APIL400S |
| 1 | PISTON (Bronze) Incl. following Cup. | 2 | P1APIL500B | P1APIL450B | P1APIL400B |
| | CUP | 4 | 60BB15 | 60BB13 | 60BB11 |
| | | | | | |
| Ref. | | | 3–1/2" | 3" | 2–1/2" |
| Ref. No. | Name of Part | Qty. | 3–1/2" Part No. | 3" Part No. | 2–1/2" Part No. |
| | Name of Part PISTON (Iron) Incl. following Cup | Qty. | | - | |
| | | | Part No. | Part No. | Part No. |
| | PISTON (Iron) Incl. following Cup | 2 | Part No. P1APIL350 | Part No. P1APIL300 | Part No. P1APIL250 |



324FXG799 (Ref. Drawing)

FOLLOWER TYPE FLUID PISTON FOR WATER AND GENERAL SERVICE (API NO. 1 TAPER)


| | | Model FXGD_B & FXGE_B | | | |
|------|--------------------------|-----------------------|-----------|----------|-----------|
| Ref. | | | 5" | 4–1/2" | 4" |
| No. | | Qty. | Part No. | Part No. | Part No. |
| 1 | BODY-PISTON (Iron) | 2 | 204FXG045 | 6FG45 | 26AXG45 |
| 2 | FOLLOWER-PISTON (Iron) | 2 | 204FXG046 | 4FG46 | 9AXG46 |
| 1 | BODY-PISTON (Bronze) | 2 | 205FXG045 | 7FG45 | 27AXG45 |
| 2 | FOLLOWER-PISTON (Bronze) | 2 | 205FXG046 | 5FG46 | 10AXG46 |
| 3 | PACKING, Regular Cure | 6 | 60D15 | 60D16 | 60D17 |
| 3 | PACKING, Rock Hard | 6 | 60Y15 | 60Y16 | 60Y17 |
| Ref. | | | 3–1/2" | 3" | 2–1/2" |
| No. | | Qty. | Part No. | Part No. | Part No. |
| 1 | BODY-PISTON (Iron) | 2 | 202FXG045 | 28AXG45 | 200FXG045 |
| 2 | FOLLOWER-PISTON (Iron) | 2 | 202FXG046 | 3AXG46 | 200FXG046 |
| 1 | BODY-PISTON (Bronze) | 2 | 203FXG045 | 29AXG45 | 201FXG045 |
| 2 | FOLLOWER-PISTON (Bronze) | 2 | 203FXG046 | 4AXG46 | 201FXG046 |
| 3 | PACKING, Regular Cure | 6 | 60D25 | 60D11 | 60D27 |
| 3 | PACKING, Rock Hard | 6 | 60Y25 | 60Y11 | 60Y27 |



301FXG810 (Ref. Drawing)


PISTON RODS & NUTS (API NO. 1 TAPER)

| | | All FXG Models | | | | |
|-------------|---|----------------|---------------------------|-------------------------------|------------------------------|--------------------------------|
| Ref. No. | | Qty. | Bronze Part No. | Hardened Steel Part No. | Chrome Plated Part No. | Stainless Steel Part No. |
| 1 2 3 | PISTON, ROD, Incl. Ref. No. 2 & 3 NUT (Thin) NUT (Full) | 2 2 2 | 33FXG183 50Y9 50X11 | 25FXG183 None 50V2 | 42FXG183 None 50V2 | 32FXG183 50T60 50U9 |




WING GUIDED VALVE WITH INSERT (SLUSH, GROUT, CEMENT & WATER SERVICE)

| Ref. No. | Name of Part | Qty. | Models FXGA_B FXGB_B Part No. | Model FXGD_B Part No. | Models FXGA_B FXGB_B Part No. |
|-------------|--------------------------------------|------|--|-----------------------------|--|
| | | | Hardened Steel, Rubber Insert | Bronze, Rubber Insert | Hardened Steel, Poly– urethane Insert |
| 1 | ASSEMBLY, Includes Ref. No. 2 thru 5 | 8 | 1FG928 | 21FG206A | 17FG206F |
| 2 | VALVE-FLUID | 8 | 17FG206 | 21FG206 | 17FG206 |
| 3 | INSERT | 8 | 1FG452 | 1FG452 | 7FG452 |
| 4 | WASHER | 8 | 95D49 | 95G11 | 95D49 |
| 5 | SCREW | 8 | 5FF156 | 7FF156 | 5FF156 |
| 6 | SPRING | 8 | 78A171 | 78D72 | 78A171 |
| 7 | SEAT-VALVE | 8 | 11FG39 | 9FG39 | 11FG39 |




WING GUIDED VALVE HARDENED STEEL WITHOUT INSERT (OIL OR GENERAL SERVICE)

| Ref. | Name of Part | Qty. | Models FXGC_B FXGE_B Part No. |
|------|---|------|-------------------------------|
| | | | |
| 1 | FLUID VALVE ASSEMBLY, Includes Ref. Nos. 2, 3 & 4 | 8 | 17FG206C |
| 2 | FLUID VALVE | 8 | 17FG206 |
| 3 | SCREW | 8 | 5FF156 |
| 4 | WASHER | 8 | 95D136 |
| 5 | SPRING | 8 | 78A134 |
| 6 | SEAT-VALVE | 8 | 11FG39 |



WING GUIDED VALVE WITHOUT INSERT (OIL, WATER OR GENERAL SERVICE)


| Ref. No. | Name of Part | Qty. | Models FXGC_B FXGD_B FXGE_B Part No. | Model FXGD_B Part No. |
|-------------|--------------|------|--------------------------------------|-----------------------------|
| | | | Iron Fitted | Brass Fitted |
| 1 | SEAT-VALVE | 8 | FG39 | 9FG39 |
| 2 | VALVE-FLUID | 8 | FG69 | 1FG69 |
| 3 | SPRING | 8 | 78A172 | 78D72 |



305FXG799 (Ref. Drawing)

WING GUIDED GRAVEL VALVE HARDENED STEEL WITH RUBBER INSERT (SLUSH, GROUT & CEMENT SERVICE)


| Ref. | Name of Part | Qty. | Models FXGA_B FXGB_B Part No. |
|------|--|------|-------------------------------|
| 1 | FLUID VALVE ASSEMBLY, Includes Ref. No. 2 thru 6 | 8 | 200FGG482A |
| 2 | VALVE-FLUID | 8 | 200FGG482 |
| 3 | INSERT | 8 | 200FGG106 |
| 4 | WASHER-VALVE | 8 | 200FGG279 |
| 5 | SCREW | 8 | 200FGG655 |
| 6 | LOCKNUT | 8 | 50AF8 |
| 7 | SPRING (Steel) | 8 | 78A171 |
| 8 | SEAT | 8 | 200FGG039 |
| | | | |



CENTER GUIDED VALVE HARDENED STEEL WITHOUT INSERT (OIL OR GENERAL SERVICE)

303FXG799 (Ref. Drawing)


| Ref. No. | Name of Part | Qty. | Models FXGC_B FXGE_B Part No. |
|-------------|--------------|------|-------------------------------|
| | | | |
| 1 | SEAT-VALVE | 8 | 1FG451 |
| 2 | VALVE-FLUID | 8 | 3FG482 |
| 3 | SPRING | 8 | 78A134 |



302FXG799 (Ref. Drawing)

CENTER GUIDED VALVE HARDENED STEEL WITH RUBBER INSERT (SLUSH SERVICE)

| Ref. No. | Name of Part | Qty. | Model FXGA_B Part No. |
|-------------|--|------|-----------------------|
| 1 | FLUID VALVE ASSEMBLY, Includes Ref. No. 2 thru 5 | 8 | 1FG908 |
| 2 | VALVE-FLUID | 8 | 3FG482 |
| 3 | INSERT | 8 | 5FG452 |
| 4 | WASHER | 8 | 1FG279 |
| 5 | NUT | 8 | 50G8 |
| 6 | SPRING | 8 | 78A171 |
| 7 | SEAT-VALVE | 8 | 1FG451 |



326FXG799 (Ref. Drawing)


DURABLA VALVE STAINLESS STEEL GENERAL SERVICE (OPTIONAL)

| Ref. | | | Model FXGE B |
|------|---|------|-----------------|
| No. | Name of Part | Qty. | Part No. |
| 1 | FLUID VALVE ASSEMBLY, Includes Ref. Nos. 2 thru 8 | 8 | 2FG1602 |
| 2 | SEAT-VALVE, Includes Ref. No. 3 ** | 8 | 18FG39A |
| 3 | STUD ** | 8 | 79AG14 |
| 4 | DISC | 8 | 90AN23 |
| 5 | GUARD | 8 | 50AK11 |
| 6 | SLEEVE | 8 | 80K10 |
| 7 | SPRING | 8 | 78R3 |
| 8 | NUT | 8 | 50AK14 |
| * | COVER-VALVE *** | 8 | 7FG147 |

^{*} Not shown.

^{**} Stud furnished with Seat may be purchased separately.

Durabla valves require the above 7FG147 listed cover in place of valve covers shown on the cylinder list.




306FXG799 (Ref. Drawing)

DELRIN BALL VALVE GENERAL SERVICE (OPTIONAL)

| Ref. | | | Model FXGE_B | | | |
|------|--------------------|------|--------------|--------------------|--|--|
| No. | Name of Part | Qty. | Part No. | Part No. | | |
| | | | Steel | Stainless Steel | | |
| 1 | SEAT-VALVE | 8 | 200FDD039 | 201FDD039 | | |
| 2 | COVER-VALVE * | 8 | 201FGG147A | 201FGG147A | | |
| 3 | VALVE-BALL, Delrin | 8 | 200FDD481 | 200FDD481 | | |

^{*} Ball valve requires the above listed 201FGG147A Covers in place of valve covers shown on the cylinder list.

NOTE: See page 9 for Valve Cover Gasket.




BALL GUIDED SPHERICAL VALVE OIL, WATER OR GENERAL SERVICE (OPTIONAL)

| Ref. No. | Name of Part | Qty. | Models FXGC_B FXGE_B Part No. | Model FXGD_B Part No. | Model FXGE_B Part No. |
|-------------|---------------------------------|------|--|-----------------------------|-----------------------------|
| | | | Steel | Bronze | Stainless Steel |
| 1 | FLUID VALVE ASSEMBLY | 8 | 3FG1614 | FG1614 | 6FG1614 |
| * | COVER-VALVE, FLUID CYLINDERS ** | 8 | 7FG147 | 7FG147 | 7FG147 |

^{*} Not shown on drawing.


^{**} Ball Guided Spherical valves require the above listed 7FG147 Cover in place of valve covers shown on cylinder list.



316FXG799 (Ref. Drawing)

VALVE SEAT PULLER – GRAVEL TYPE (Optional Equipment)


| Ref. | Name of Part | Qty. | All FXG Models Part No. |
|------|---|------|-------------------------------|
| 1 | ASSEMBLY PULLER, VALVE SEAT (Includes 2, 3, 4, 5 & 6) | 1 | 200FGG219A |
| 2 | BOLT-PULLER | 1 | 2015079 |
| 3 | PLATE-PULLER | 1 | 3AUX292 |
| 4 | NUT-HEX | 1 | 50T62 |
| 5 | PIN-SPRING ROLL | 1 | 62R40 |
| 6 | PULLER, Valve Seat | 1 | 200FGG219 |



317FXG799 (Ref. Drawing)

VALVE SEAT PULLER – WING GUIDED & DELRIN BALL (Optional Equipment)


| Ref. | | | All FXG Models | |
|------|--|------|----------------|-------------|
| No. | Name of Part | Qty. | Part No. | Part No. |
| | | | Wing Guided | Derlin Ball |
| 1 | PULLER ASSEMBLY, Includes Ref. No. 2, 3, 4 & 5 | 1 | 1AUX545 | FDD67544 |
| 2 | BOLT-PULLER | 1 | 2AUX235 | 2AUX235 |
| 3 | PLATE-PULLER | 1 | 2AUX292 | 2AUX292 |
| 4 | PULLER | 1 | 3AUX291 | 200FDD219 |
| 5 | NUT | 1 | 50C11 | 50C11 |



318FXG799 (Ref. Drawing)

VALVE SEAT PULLER – CENTER GUIDED (Optional Equipment)


| Ref. No. | Name of Part | Qty. | Models Part No. |
|-------------|--|------|-----------------|
| 1 | PULLER ASSEMBLY, Includes Ref. No. 2, 3, 4 & 5 | 1 | 3AUX545 |
| 2 | PULLER | 1 | AUX549 |
| 3 | PLATE-PULLER | 1 | 4AUX292 |
| 4 | WASHER | 1 | 95A22 |
| 5 | NUT | 1 | 50T161 |



319FXG799 (Ref. Drawing)

SURGE CHAMBER – DISCHARGE (Optional Equipment)

| Ref. | Name of Part | Qty. | All FXG Models Part No. |
|------|---|------|-------------------------------|
| 1 | SURGE CHAMBER ASSEMBLY, Includes next 3 items | 1 | 1FF44X |
| | PLUG-CSK. PIPE, Top | 1 | 64B6 |
| | PLUG-SqHd PIPE, Side | 1 | 64A9 |
| | SCREW | 8 | 655FF077 |




320FXG799 (Ref. Drawing)

SURGE CHAMBER – SUCTION (Optional Equipment)

| Ref. No. | Name of Part | Qty. | Models Part No. |
|-------------|-------------------|--------|--------------------|
| 1 2 | SURGE CHAMBERPLUG | 1 1 | FG44 64AJ15 |

ROD WASH (Optional Equipment)


| Name of Part | Qty. | All FXG Models Part No. |
|----------------------------------|------|-------------------------------|
| MANIFOLD-WATER | 1 | 1FXX315 |
| SCREW | 2 | 655ED030 |
| NIPPLE | 2 | 63D2 |
| NIPPLE | 2 | 63D37 |
| VALVE-ANGLE | 2 | 90F4 |
| COVER-FRAME CRADLE | 1 | 201FXG225 |
| STUD-FRAME CRADLE COVER | 2 | 79A466 |
| NUT-FRAME CRADLE COVER STUD WING | 2 | 50H1 |
| ELBOW-90° STREET | 2 | 64D2 |



300FXG810 (Ref. Drawing)

LINER PULLER (Optional Equipment)

| Ref. No. | Name of Part | Qty. | All FXG Models Part No. |
|-------------|--|------|-------------------------------|
| 1 | PULLER ASSEMBLY, Includes Ref. No. 2, 3, 4, 5, 6 & 7 | 1 | 1FG284 |
| 2 | BOLT-PULLER | 1 | FG344 |
| 3 | TOOL, Liner Puller | 1 | 1FG346 |
| 4 | NUT | 1 | 50B8 |
| 5 | PIN | 1 | 62A93 |
| 6 | WASHER | 1 | 95A8 |
| 7 | PULLER | 1 | 1FG345 |



321FXG799 (Ref. Drawing)

CROSSHEAD PIN BUSHING PULLER (Optional Equipment)

| Ref. No. | Name of Part | Qty. | All FXG Models Part No. |
|-------------|---|------|-------------------------------|
| 1 | PULLER ASSEMBLY, Includes Ref. No. 2, 3, 4, 5 & 6 | 1 | FXG1585 |
| 2 | BOLT-PULLER | 1 | FXG1279 |
| 3 | PLATE | 1 | FXG1277 |
| 4 | PLATE-PULLER | 1 | FXG1276 |
| 5 | BUSHING | 1 | FXG1278 |
| 6 | NUT | 1 | 50T67 |

RELIEF VALVES (Optional Equipment)

| Name of Part | Qty. | All FXG Models Part No. |
|-----------------------------------|------|-------------------------------|
| RELIEF VALVE (2" MPT) 125# – 150# | 1 | 5825319 187922 |



For additional information contact your local representative or Gardner Denver Machinery Inc., Customer Service Department, 1800 Gardner Expressway, Quincy, Illinois 62301 Telephone: (800) 682-9868 FAX: (217) 224-7814

Sales and Service in all major cities.

For parts information, contact Gardner Denver, Master Distribution Center, Memphis, TN Telephone: (800) 245-4946 FAX: (901) 542-6159

Specifications subject to change without notice. Copyright 1996 Gardner Denver Machinery Inc.